

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[nguyenvanhua1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

event\$ and "client application" and (transmit or

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

**Scholar** [Articles and patents](#) [anytime](#) [include citations](#) Results 1 - 100 of about 2,020. (0.30 sec)

Did you mean: [event\\$ and "client application" and \(transmit or \*\*communicate\*\*\) and \(without or directly\) and workstation](#)

[A distributed graphics system for large tiled displays-](#) [psu.edu](#) (PDF)

G Humphreys, P Hanrahan - Proceedings of the conference on Visualization'99: ..., 1999 - portal.acm.org  
... the feathering polygons, and which **client application** to listen to ... thread must send one draw **event** to each ... scribe a triangle, we can **transmit** 233,000 triangles ...

[Cited by 160](#) - [Related articles](#) - [All 25 versions](#)

[The X window system-](#) [rwth-aachen.de](#) (PDF)

RW Scheiffler, J Gettys - ACM Transactions on Graphics (TOG), 1986 - portal.acm.org  
... and their resolution in X. Section 8 deals with input **event** handling ... A **client application** and a ... per second (kbits/s) will be needed, and to **transmit** and display ...

[Cited by 963](#) - [Related articles](#) - [All 14 versions](#)

[Methods and apparatus for efficiently transmitting interactive application data between a ...](#)

DC Mitchell, B Walters, D Mitchell - US Patent 6,356,933, 2002 - Google Patents  
... received from the AISP **Transmit** state changes ... of the user interface rendering, **event** handling, and ... the user's experience with the **client application** is similar ...

[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

[ClusterProbe: an open, flexible and scalable cluster monitoring tool-](#) [psu.edu](#) (PDF)

Z Liang, Y Sun, CL Wang - Proc. IWCC - doi.ieeecomputersociety.org  
... we have chosen to gather and **transmit** data using ... A **client application** could be a parallel task that requests ... pre-formatting modules and global **event** management ...

[Cited by 32](#) - [Related articles](#) - [All 17 versions](#)

[Integrated data \*\*communication\*\* and data access system including the application data ...](#)

P Jain, S Ahmed - US Patent 6,073,139, 2000 - Google Patents  
... 57] ABSTRACT An integrated data **communication** and data ... 26c2 38 DISTRIBUTION PROTOCOL (INTERESTS) **CLIENT APPLICATION** 2 40 ... App1 REGISTERS INTEREST IN **EVENT** "X" L ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[Implementing a Physician's \*\*Workstation\*\* using client/server technology and the distributed ...-](#) [nih.gov](#) (PDF)

TQ Pham, CY Young, PC Tang, HJ Suermondt, ... - Proceedings of the Annual Symposium on Computer ..., 1994 - pubmedcentral.nih.gov  
... a much lighter work load, the **event** service now ... the result, other threads in the **client application** can still ... By using RPC to **transmit** data between client and ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

Distributed framework for intertask **communication** between **workstation** applications

S Ahmed, SJ Dacic - US Patent 6,647,432, 2003 - Google Patents

... The user **transmits** an interest object associated ... application **without** routing that **event** information through ... display of the particular **client application** on the ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[PDF] An accelerated remote graphics architecture for PDAS

F Lamberti, C Zunino, A Sanna, A Fiume, M ... - Proc. the 8th International Conference on 3D Web ..., 2003 - Citeseer

... Figure 2: Screenshot of the PDA-based **client application** showing the ... When a new **event** is gener- ated by the ... It provides 4 receive and 2 **transmit** time-slots ...

[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

... , data-object format and asynchronous **communication** methods **without** the use of a markup ...

GP Patnude - US Patent App. 11/164,051, 2005 - Google Patents

... [0088] (5) **Transmit** the textually ... be developed in other languages to **communicate** with or ... response processing techniques of the **client application** interface and ...

[All 2 versions](#)

A device for **communicating** data within a theatre

J Bert, A Gillissen, 2003 - freepatentsonline.com

... base station being provided to **transmit** said selected ... of theatre items relating to **events** running in ... possible to connect the **client application** module **directly** ...

[All 2 versions](#)

**Event** interface for a carrier manager system

G Boucher, TA Carroll, JE Hasbani, K ... - US Patent 6,873,978, 2005 - Google Patents

... US 6,873,978 BI **EVENT** INTERFACE FOR A ... of resource intensive inter-process **communication** (IPC) mechanisms ... application (ie second **client application** 120) only ...

[All 2 versions](#)

... for remotely accessing an industrial control system over a commercial **communications** ...

AD Papadopoulos, A Tanzman, RA Baker Jr, ... - US Patent 6,061,603, 2000 - Google Patents

... is found, the buffer, then the driver drops the **transmit** message ... The **client application** queues both an indication driver 56, it passes the request to ... If **event**. ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

[PS] Measuring thin-client performance using slow-motion benchmarking

SJ Yang, J Nieh, N Novik - usenix.org

... designed specifically to run the **client application** or simply a ... it ensures that display **events** reliably complete ... update takes longer to **transmit**, resulting in ...

[Cited by 66](#) - [Related articles](#) - [Cached](#) - [BL Direct](#) - [All 31 versions](#)

High performance machine for switched **communications** in a heterogeneous data ...

M Yasrebi - US Patent 5,463,625, 1995 - Google Patents

... thereby removing concern for the **communications** mechanisms from ... can automatically invoke a **directory** that pro ... remote procedures by name, **without** knowing their ...

[Cited by 41](#) - [Related articles](#) - [All 4 versions](#)

## Communications management between client and server processes

S Kapoor, GM Alvis, 1996 - freepatentsonline.com

... physical devices and medium used to **transmit** information. ... would never succeed (unless the **client application** was comparing ... In the **event** that there is more than ...

[All 2 versions](#)

## [PDF] \*An architecture for group **communications**-support networked multimedia applications

J Zissopoulos, J Soldatos, E Vayias, G Branis, ... - ... -Performance **Communication** Systems, 1997.(HPCS'97 ..., 1997 - Citeseer

... target at supporting large distributed **events**, where the ... entire group **without** having to **transmit** it first ... The **Client application** offers to the user the option ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

## Abstract Personal **Communications** Manager (APCM)

K Froitzheim - ... the 1992 ACM annual conference on **Communications**, 1992 - portal.acm.org

... Possible **events** are an Incoming comwtion, discormec features ... conversion and data movement to/from the **client application**. ... APCMWrite is called to **transmit** data. ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

## [PDF] \*Securing the X Window system with SELinux

D Kilpatrick, W Salamon, C Vance - NAI Labs. Available at <http://www.nsa.gov/selinux/x11> ..., 2003 - nsa.gov

... Windows are manipulated explicitly by the **client application** and the window manager ... of the property could be used to **transmit** information between ... Send an **Event** ...

[Cited by 29](#) - [Related articles](#) - [View as HTML](#) - [All 27 versions](#)

## A data processing support method and system

L Hayes, 1999 - freepatentsonline.com

... the need for the other levels to **transmit event** signals ... to the **event**, (ii) date and time stamp the **event**, (iii) assign a **client (application sever)** code ...

[All 3 versions](#)

## [PDF] \*Using XML messages in **communication** between elements of the eLearning system

K Tokarz, P Jedrychowski - wseas.us

... main function is handling the **events** usually incoming ... **Communication** between server and **client application** is done ... The server can also **transmit** many streams ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

## [PDF] \*MONET: A multimedia system for conferencing and application sharing in distributed ...

K Srinivas, R Reddy, A Babadi, S Kamana, V ... - ... Center, West Virginia University, Morgantown, WV, 1992 - cerc.wvu.edu

... Figure 9. **Application** Sharing Server is used to ... connectionless datagram service to **transmit** audio packets ... for introducing and processing synchronization **events**. ...

[Cited by 31](#) - [Related articles](#) - [View as HTML](#)

## Adapting to network and client variability via on-demand dynamic distillation- [\\*kfupm.edu.sa](#) [PDF]

A Fox, SD Gribble, EA Brewer, E Amir - ACM SIGOPS Operating Systems Review, 1996 - portal.acm.org

... Specific API's for delivery of such **events** are described in [4,36]. ... transport and data format issues, we would like the **client application** to deal ... **BB Transmit** ...

[Cited by 426](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

Applying the wizard of oz technique to the study of multimodal systems- [psu.edu](#) [PDF]

D Salber, J Coutaz - LECTURE NOTES IN COMPUTER SCIENCE, 1993 - Springer

... O wizard acquires user's requests and **transmits** simulated answers ... information, from low-level user **events** up to ... be able to plug any **client application** onto the ...

[Cited by 61](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

System for broadcasting media and method for use in such a system

R David, M Rene - US Patent App. 10/501,952, 2003 - Google Patents

... More generally, the media is an **event**, which can be broadcast ... list containing all of the available drivers, the **client application** then **transmits** the drop ...

A flexible and recoverable client/server database **event** notification system- [psu.edu](#) [PDF]

EN Hanson, IC Chen, R Dastur, K Engel, V ... - The VLDB Journal, 1998 - Springer

... 1990) are used to help **transmit event** notifications from ... If an **event** is available, it is returned. ... it is not necessary for the **client application** to actually ...

[Cited by 6](#) - [Related articles](#) - [All 6 versions](#)

Dual ethernet protocol stack for maximum speed access to a programmable logic controller ...

AD Papadopoulos, A Tanzman, RH Naismith - US Patent 6,587,884, 2003 - Google Patents

... The **client application** queues both an indication Protocol of ... calls the application's examines the **transmit** queue, and ... a socket number, a task ID, and an **event**. ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

System for broadcasting media and method for use in such a system

DRM Rene, 2004 - freepatentsonline.com

... generally, the media is an **event**, which can ... the management module and independently **transmit** commands for ... command coming from a **client application** or elsewhere ...

[All 5 versions](#)

User input routing with remote control application sharing

DW Boss, DG Hicks - US Patent 6,329,984, 2001 - Google Patents

... system detects a mouse release **event** for the ... and Kernel GDI 102 103 conferencing **communications** system 108 ... 1 If host mouse moves, **transmit** movement information ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Internet web interface including programmable logic controller for controlling output devices ...

AG Swales, R Naismith, R Breinlinger, RA ... - US Patent 6,151,625, 2000 - Google Patents

... the Ethernet driver 48 examines the **transmit** queue, and ... The **client application** queues both an indication request on ... a socket number, a task ID, and an **event**. ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

Console emulation for a graphics **workstation**

M Longo, SD DiPirro - US Patent 4,903,218, 1990 - Google Patents

... in the loopback mode described below, **transmits** a mes ... sor BVP Interface 61 to be **event** and error ... by the console handler choice for **communication** protocols is ...

[Cited by 32](#) - [Related articles](#) - [All 4 versions](#)

Isosurface extraction techniques for web-based volume visualization- [psu.edu](#) [PDF]

K Engel, R Westermann, T Ertl - Proceedings of the conference on Visualization'99: ..., 1999 - portal.acm.org

... vertices that have to be reconstructed, **transmit**- ted and ... object space where the pick **event** was issued ... further equipped with the Netscape **Communicator** 4.07 with ...

[Cited by 61](#) - [Related articles](#) - [All 29 versions](#)

METHODS AND APPARATUS FOR DISPLAYING APPLICATION OUTPUT ON DEVICES ...

T Adachi - US Patent App. 10/709,581, 2004 - Google Patents

... between the system bus 220 and an external **communication** bus, such ... the proxy server application 158 may **transmit** updates to the **client application** 146 every ...

[All 6 versions](#)

Web interface to a programmable controller

AD Papadopoulos, A Tanzman, RA Baker, RG ... - US Patent App. 09/738,445, 2000 - Google Patents

... buffer, then the driver drops the **transmit** message ... The **client application** queues both an indi- cation request on queue ... a socket number, a task ID, and an **event**. ...

[Cited by 7](#) - [Related articles](#) - [All 8 versions](#)

Enabling **communications** of electronic data between an information requestor and a ...

WA Richard Jr, 2002 - freepatentsonline.com

... data using an installed IM **client application** on the ... update such information in the **event** that the ... uses a browser application to **transmit** subsequent requests ...

System and method for efficient provision of a voicemail message indicator signal over a ...

KP Kleinfelter, K Littrell - US Patent App. 11/010,864, 2004 - Google Patents

... In any **event**, Java applets are known to be ... Thus, the frame periodically **transmits** requests to the MWI ... provided via a web-based **client application** executing on ...

[Related articles](#) - [All 4 versions](#)

Composable ad-hoc mobile services for universal interaction- [psu.edu](#) [PDF]

TD Hodes, RH Katz, E Servan-Schreiber, L ... - Proceedings of the 3rd annual ACM/IEEE international ..., 1997 - portal.acm.org

... These **events** are generated (when necessary) by the ... than a broadcast/responsepaic mobiles need not **transmit** to detect ... the **client application** sends the new SIP a ...

[Cited by 163](#) - [Related articles](#) - [All 40 versions](#)

Object-oriented **communication** interface for network protocol access using the selected newly ...

DD Heimsoth, GR Horn, M Sharma, LB Turner ... - US Patent 5,764,915, 1998 - Google Patents

... The interface to a **communication** endpoint for a **client application** is defined by instantiating a network definition object for the commu- nication endpoint ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

Enabling **communications** of electronic data between an information requestor and a ...

RA Watson - US Patent App. 09/893,693, 2001 - Google Patents

... as well as the ability to **transmit** electronic messages and ... an OSP **client application** and an IM **client application**. ... the IM host complex to **communicate** with each ...

Spine: a safe programmable and integrated network environment- [tcd.ie](#) [PS]

ME Fluczynski, RP Martin, T Owa, BN ... - Proceedings of the 8th ACM SIGOPS European workshop ..., 1998 - portal.acm.org

... DMA engines, FIFOs and network **transmit**/receive sup ... The video **client application** catches window movement **events** and ... the metadata after a window **event** occurs (eg ...

[Cited by 50](#) - [Related articles](#) - [All 7 versions](#)

METHOD FOR COMMUNICATION BETWEEN AN APPLICATION AND A CLIENT

M Kaczmarek, S Padbidri, 2007 - freepatentsonline.com

... function, the server application 10 may **transmit** (at block ... use to **communicate** with the **client application** 8 initiating ... 3-5 show certain **events** occurring in a ...

[All 4 versions](#)

HYDRA: High-speed simulation architecture for precision spacecraft formation simulation.- [nasa.gov](#) [PDF]

BJ Martin, G Sohl, 2003 - trs-new.jpl.nasa.gov

... ods when various run-time **events** are triggered ... which differentiate it from a standard **client application**. ... high-speed, low-latency **communication without** loss of ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[PDF] [A novel emergency telemedicine system based on wireless communication technology-](#) ...

S Pavlopoulos, E Kyriacou, A Berler, S ... - IEEE Transactions on Information Technology in ..., 1998 - files.surabaya.go.id

... to a normal lifestyle after a cardiac **event**. ... The **client application** is responsible for the collection and ... position himself to capture and **transmit** more images. ...

[Cited by 141](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 6 versions](#)

Method, computer-readable medium and apparatus for providing a graphical user interface ...

LJ Wood, JD Richards, ED Katz, AJ Rieger - US Patent App. 10/826,673, 2004 - Google Patents

... bars, display dialog boxes and **transmit** data for ... clicks the Log on button, **client application** 101 establishes ... a Begin Session command and **event** are exchanged ...

[All 2 versions](#)

HUMAN-COMPUTER PRODUCTIVITY MANAGEMENT SYSTEM AND METHOD

MA Chroscielewski, A Hedge, 2009 - freepatentsonline.com

... The **client application** is also known as a "beacon." Preferably ... computing devices that have ceased to **transmit** data to ... interactions to be stored in **event** logs ...

[All 3 versions](#)

[PDF] [DCE: An environment for secure client/server computing](#)

MM Kong - Hewlett-Packard Journal, 1995 - hpl.hp.com

... 3 describes the flow of **events** that occur when ... used in arrays or structures to **transmit** opaque data ... or via a configuration file, and **client application** code can ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

An analytical study towards the development of a standardized IM application

M McClea, DC Yen, A Huang - Computer Standards & Interfaces, 2004 - Elsevier

... a basic infrastructure to **transmit** and receive ... least one **workstation** IM **client application** has the ... conferencing, telephony, presence, **events** notification and ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] \\*Collaborative modeling with features](#)

R Bidarra, E Van Den Berg, WF Bronsvort - Proceedings of DET, 2001 - Citeseer  
... between limiting the complexity of the **client application** and minimizing ... images at the server and **transmit**- ting it ... ents is handled by the **Event Manager**, which ...  
[Cited by 57](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[System and methods for generating and distributing alarm and \*\*event\*\* notifications](#)

PF McLaughlin - US Patent 6,138,049, 2000 - Google Patents  
... the communi- cations failure and **transmits** them to ... so that neither the notification **client application** nor the ... interfaces with the server **event** subsystems 252. ...  
[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

[\[PDF\] \\*Measuring the impact of \*\*event\*\* dispatching and concurrency models on web server ...](#)

JC Hu, I Pyarali, DC Schmidt - GLOBECOM-NEW YORK-, 1997 - Citeseer  
... Through GUI interactions, the **client application** user instructs the ... Figure 7:  
Asynchronous **Event** Dispatching (Windows NT ... by locating the file to **transmit** to the ...  
[Cited by 121](#) - [Related articles](#) - [View as HTML](#) - [BLD Direct](#) - [All 22 versions](#)

[Secured system for accessing application services from a remote station](#)

AS Orenshteyn - US Patent App. 10/124,051, 2002 - Google Patents  
... FILE IN FILE SERVER 110 **TRANSMIT** PROCESSED DATA ... system, devices, user interface and **communication** inter- face ... server serves to the **client application** logic and ...  
[Cited by 31](#) - [Related articles](#) - [All 8 versions](#)

[SESAME: The solution to security for open distributed systems](#)

P Kaijser, T Parker, D Pinkas - Computer **Communications**, 1994 - Elsevier  
... and Privilege Attribute (server) **Client Application** Trust Group ... Sponsor is further expected to **transmit** to the ... audits all security relevant **events** that affect ...  
[Cited by 70](#) - [Related articles](#)

[\[PDF\] \\*A trusted network model using the lightweight \*\*directory\*\* access protocol](#)

DC Vassiliadis, GE Rizos, E Stergiou, SV ... - ... on Applied Informatics and **Communications**-Volume 7, 2007 - wseas. us  
... In the **event** of a query, the server ... If the **client application** is attempting to modify information an ... hand, the central database either **transmits** the requested ...  
[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[... control devices that provide a virtual machine environment and that \*\*communicate\*\* via an IP ...](#)

A Johnson, PC Badavas, TE Christiansen, PD ... - US Patent App. 11/781,218, 2007 - Google Patents  
... hampering manufacturer creativity and **without** removing incentives to ... standards) to provide **communications** between the ... transfer and alarm/**event** notification, as ...  
[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

[\[CITATION\] Process Control and \*\*Communication\*\* in Distributed CAD Environments](#)

DRWAK Fiduk - Proceedings of the... USENIX conference, 1991 - The Association  
[Related articles](#)

### [BOOK] An Introduction to Client/Server Computing

YS Chandra - books.google.com

... 7.2.5 Virtual Groups and **Event** Calls 142 ... Performs query/update processing and **transmits** responses to ... Rules Residing on the **Client: Application** Logic Business ...

### Communication and information processing system

A Oswal - US Patent App. 11/029,719, 2005 - Google Patents

... capable of capturing the information about an **event** immedi- ately ... as and when it occurs, validate it, **transmit** it to ... 0088] d. A **client application** (CA) resident ...

[All 2 versions](#)

### Identifying unauthorized communication systems based on their memory contents

RG Watkins, AL Wick - US Patent App. 11/216,027, 2005 - Google Patents

... In the **event** that the data request cannot be ... system 405 uses an OSP **client application** to convert ... For example, when a browser application **transmits** a request ...

[All 7 versions](#)

### System and methodology for managing internet access on a per application basis for client ...

G Freund - US Patent 5,987,611, 1999 - Google Patents

... application can or cannot use, and rules to determine what **events** should be ... Microsoft Corporation, "Active **Directory** Design Specifi- cation, Version 1.0," Oct. ...

[Cited by 53](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] \*ViewStation Applications: Implications for Network Tra c

C Lindblad, D Wetherall, W Stasior, J Adam, ... - IEEE Journal on Selected Areas in **Communications**, 1995 - Citeseer

... isolates the network trac and **client application** from the ... represents highlights of a particular sporting **event**. ... packetizes it, andand then **transmits** itover the ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

### Communications system and method for operating same

GW Andrews, SH Webber, JP Kelly, LE Johnson ... - US Patent 5,878,130, 1999 - Google Patents

... 2, 1999 [54] **COMMUNICATIONS** SYSTEM AND METHOD FOR OPERATING SAME [75] Inventors: G. Wayne Andrews, Amherst, NH; Steven H. Webber, Groton, Mass.; James P. Kelly ...

[Cited by 24](#) - [Related articles](#) - [All 7 versions](#)

### The Panasas ActiveScale storage cluster: Delivering scalable high bandwidth storage- \*supercomputing.org

[PDF]

D Nagle, D Serenyi, A Matthews - Proceedings of the 2004 ACM/IEEE conference on ..., 2004 - doi. [ieeecomputersociety.org](#)

... iSCSI – PanFS uses the iSCSI protocol to **transmit** the OSD ... be committed to disk even in the **event** of a ... cache space, but so far no **client application** has demon ...

[Cited by 115](#) - [Related articles](#) - [All 12 versions](#)

### [PDF] \*Some multimedia traffic characterization and measurement results

J Crowcroft, S Hailes, M Handley, A Jena, D ... - IEE CONFERENCE PUBLICATION, 1993 - [cl.cam.ac.uk](#)

... Replies and **Events** Requests **Client (Application)** ... In the distributed switching scheme each participant **transmits** its video signal if and only if it is informed ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)



## An ATM-based Multimedia

JF GUILLAUD, MR POKAM, G MICHEL, F ... - doi.ieeecomputersociety.org

... the journal object throughout the **communication** environment ... occur- rence of an **event**, the DeleteDocument operation that permits a **client application** program to ...

[All 3 versions](#)

[CITATION] 11-14 August 2003, Austin, Texas

BJ Martin, GA Sohl

[Related articles](#)

Issues in the design of a flexible distributed architecture for supporting persistence and ... - [psu.edu](#) (PDF)

J Leigh, AE Johnson, TA DeFanti - Proceedings of the 1997 ACM/IEEE conference on ..., 1997 - portal.acm.org

... In fact, to **transmit** audio/video signals between ... to invoke functionality between the **client's application** and the ... observe smaller subsets of **events** that occur ...

[Cited by 52](#) - [Related articles](#) - [All 6 versions](#)

What You See is What I Want: Experiences with the Virtual X Shared Window System - [gatech.edu](#) (PDF)

I Smith, ED Mynatt, 1991 - smartech.gatech.edu

... processing can continue in a normal fash- ion, **without** regard for ... chan- nel provides the users with is **directly** related to ... Inter-User **Communication** System ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

An object-based infrastructure for program monitoring and steering - [psu.edu](#) (PDF)

G Eisenhauer, K Schwan - Proceedings of the SIGMETRICS symposium on Parallel ..., 1998 - portal.acm.org

... in a monitoring system **client.** **Application** objects may ... system to be constructed **without** modifying the ... Instead, **event communication** from source to sink occurs ...

[Cited by 59](#) - [Related articles](#) - [All 10 versions](#)

Method and apparatus for entity authentication and session key generation

RH Guski, JC Dayka, HT McGee, BR Wells - US Patent 6,292,896, 2001 - Google Patents

... 8 of 10 US 6,292,896 BI **CLIENT APPLICATION** I PRESENT ... 10 **TRANSMIT** SIGNON REQUEST CONTAINING PASSWORD TO ... RESPONSE FROM TARGET APPLICATION **COMMUNICATE** WITH TARGET ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

An Object Oriented System for Digital Audio Workstation DSP Development

TC Tanner, TJ Padula - PREPRINTS-AUDIO ENGINEERING SOCIETY, 1993 - aes.org

... In order to **transmit** 256 digital audio signals in ... is performed in response to requests bythe **client application**. ... files and a standard **communication** and control ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#)

N-tier architecture for a casino management system and method

G Frerking, PH Blanton, LD Osburn, JS ... - US Patent App. 11/742,214, 2007 - Google Patents

... data from game controller 107 and **transmits** said data ... licensed for the eleventh jackpot fill **client application** and then ... In such an **event**, a separate server 61 ...

[All 7 versions](#)

... using a first **communication** directed to an application that uses a second **communication** ...

MA Kaczmarek, S Padbidri - US Patent App. 11/076,609, 2005 - Google Patents

... function, the server application 10 may **transmit** (at block ... use to **communicate** with the **client application** 8 initiating ... 3-5 show cer- tain **events** occurring in a ...

[All 2 versions](#)

Collaborative computing system using pseudo server process to allow input from different ...

DB Berkowitz, MC Hao, HC Lieu, FD Snow - US Patent 5,392,400, 1995 - Google Patents

... The the **communication** protocol. ... group using a sophisti- ^y uses to **transmit** and receive ...

All invitees must Also, WinColl receives replies and **events** from the be ...

[Cited by 89](#) - [Related articles](#) - [All 2 versions](#)

Transaction processing in a mobile computing environment with alternating client hosts- [psu.edu \(pdf\)](#)

S Buchholz, T Ziegert, A Schill, A Held - Proceedings of the 10th International Workshop on ..., 2000 - doi. [ieeecomputersociety.org](#)

... TXAgent, that does the necessary processing and **transmits** the view ... click, causes **communication** to pass the **event** to the ... 4) on demand of a **client application**. ...

[Cited by 5](#) - [Related articles](#) - [All 12 versions](#)

... firewalls, NATs, and proxies with rich media **communications** and other application ...

AJ Eisenberg, JA Thompson, DO Bundy - US Patent App. 10/402,752, 2003 - Google Patents

... 2,2003 (54) SYSTEM AND METHOD FOR TRAVERSING FIREWALLS, NATS, AND PROXIES WITH RICH MEDIA **COMMUNICATIONS** AND OTHER APPLICATION PROTOCOLS (76) Inventors: Alfred ...

[All 4 versions](#)

... and use of point-of sale terminal, which receives, **transmits**, stores, authorizes, reconciles, ...

A Surles - US Patent App. 10/157,126, 2002 - Google Patents

... receives **communication** initiated by the **client application** and directs ... Jukebox server

6. In the **event** that the ... Fax server 14 **transmit** documents to a facsimile ...

[All 2 versions](#)

[PDF] [D'Agents: applications and performance of a mobile-agent system](#)

RS Gray, G Cybenko, D Kotz, RA Peterson, D ... - Software-Practice and Experience, 2002 - Citeseer

... analyst (and thus the **client application** itself) determine ... **Communication** Authentication

Access control Resource control ... by a naturally **event**-driven programming ...

[Cited by 135](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 23 versions](#)

Dual protocol stack for maximum speed access to a programmable logic controller (PLC) in ...

AD Papadopoulos, A Tanzman, RH Naismith - US Patent 6,963,922, 2005 - Google Patents

... The web server 30 provides a **direct** connection for a ... through an Ethernet driver 48

which **transmits** and receives ... or faster via an Ethernet **communication** chip 49 ...

[Related articles](#) - [All 2 versions](#)

Inter Application User Interface Integration in Element Management Systems

A Rajoo, S Murthy - US Patent App. 11/536,801, 2006 - Google Patents

... v\_ i 130-^ APPLICATION **CLIENT** « **APPLICATION SERVER** I ... **communication** device 104 to **directly communicate** with another ... local wireless link **transmit**/receive module ...

[All 2 versions](#)

### Geographical web browser, methods, apparatus and systems

EM Dowling, DL MacFarlane, MN Anastasi - US Patent App. 11/714,799, 2007 - Google Patents

... advisories, accident locations and effects and special **event** locations and ... may be used to both receive and **transmit** satellite **communications** data and ...

[Cited by 12](#) - [Related articles](#) - [All 4 versions](#)

### Trends in PACS image storage and archive

BJ Liu, F Cao, MZ Zhou, G Mogel, L Documet - Computerized Medical Imaging and Graphics, 2003 - Elsevier

... should be recovered before the **client's application** drops its ... **event** render the network **communication** inoperable, a ... when the scheduled downtime **event** has been ...

[Cited by 30](#) - [Related articles](#) - [All 4 versions](#)

### [PDF] POCT connectivity: Opening the door to a laboratory **without** walls

TH ETRADITIONALLABOR - bmi.osu.edu

... 9 The capacity to capture and **transmit** data from ... to a nursing unit terminal, start the **client application**, and press ... full days per data download **event**, since a ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

### Dual Ethernet stack for maximum speed access to a PLC

AD Papadopoulos, A Tanzman, RH Naismith - US Patent App. 10/414,662, 2003 - Google Patents

... the Ethernet driver 48 examines the **transmit** queue, and ... The **client application** queues both an indication request on ... a socket number, a task ID, and an **event**. ...

[All 7 versions](#)

### Method and apparatus providing user with account balance notification of prepaid wireless ...

S Veerepalli, J Wang, AC Mahendran, RT Hsu ... - US Patent App. 10/340,136, 2003 - Google Patents

... some exemplary pre- defined trigger **events** include: a ... **Communications** with the visited AAA server 134 also occur ... the mobile station 114 to **transmit** and receive ...

[All 4 versions](#)

### System and method for personal **communication** over a global computer network

MR Hankey, R Garner, E Morales, A Smilowitz ... - US Patent App. 10/961,852, 2004 - Google Patents

... real time video, audio and/or text conferencing program to **communicate** with one or ... optional) 400 Tour (optional) 500 \* 400 200 ' 400 400 **Events** (optional) 600 ...

[All 2 versions](#)

### Systems and methods for utilizing a **communications** network for providing mobile users ...

RH Willis Jr, DR Jean, WL Harris - US Patent 6,738,815, 2004 - Google Patents

... computers, and an interface in **communications** with the ... Ser Microsoft Windows 95 TechNet **Client Application** 1 Microsoft ... **Without** memory processor modules or I/O ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

### Remote procedural call component management method for a heterogeneous computer ...

GT Lam, A Malik, SK Ponnuswamy, TM Battle - US Patent 5,926,636, 1999 - Google Patents

... by a remote client interprocess **communication** module 413. ... in IOMAPI 412 by remote **client application** 411 is ... a con- ventional fashion and **transmits** the packaged ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

### Methods permitting rapid generation of platform independent software applications executed ...

AJ Simonoff, RL Taft, BT McLintock, LA ... - US Patent 6,078,322, 2000 - Google Patents

... a personality which defines the **client application without** changing the ... GUIScript MESSAGE STEP 11 **TRANSMIT** SECOND APPLICATION ... eg, when triggered by an **event**). ...

[Cited by 8](#) - [Related articles](#) - [All 6 versions](#)

### Throttling electronic **communications** from one or more senders

JG Barrett, MJ Muehl, TM Palino - US Patent App. 11/330,340, 2006 - Google Patents

... 294, a display monitor 295 with or **without** a touch ... access by subscribers and routing **communications** between the ... for example, an OSP **client application** and an ...

[Related articles](#) - [All 4 versions](#)

### ... messages in the user interface of instant messaging and other digital **communication** ...

L Lira - US Patent App. 11/174,934, 2005 - Google Patents

... at the occurrence of a predetermined **event**, such as ... is a form of electronic **communication** between users ... message is delivered instantly and **without** the recipient ...

[All 4 versions](#)

### Activating a **communications** system

LL Lu - US Patent 7,478,056, 2009 - freepatentsonline.com

... applications, such as an OSP **client application** and/or ... In any **event**, the advertising server 6804 ... request or another transmission, and **transmit** the encapsulated ...

[Related articles](#)

### Apparatus and methods for managing content exchange on a wireless device

K Fok, TM Cassett, J Hwang - US Patent App. 11/369,377, 2006 - Google Patents

... using open **communication** connections to **transmit** and receive ... network and intended for a **client application** resident on ... 11 is an **event** sequence diagram operable ...

[All 6 versions](#)

### [PDF] \*What You See Is What I Want

I Smith, E Mynatt - Citeseer

... processing can continue in a normal fashion, **without** regard for ... channel provides the users with is **directly** related to ... Inter-User **Communication** System ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

### Browser environment using multiple browser instantiations

D Corboy, J Marshall - US Patent 7,277,912, 2007 - Google Patents

... as well as the ability to **transmit** electronic messages ... may be embedded within an OSP **client application**. ... network content received by **communications** device 284 ...

[All 2 versions](#)

### Component architecture for web based EMR applications.- \*nih.gov [PDF]

DA Berkowicz, GO Barnett, HC Chueh - Proceedings of the AMIA Symposium, 1998 - pubmedcentral.nih.gov

... independent objects that receive and **transmit** data through a ... and the internal handling of user **events**. ... Any **client application** wishing to retrieve data from a ...

[Cited by 4](#) - [Related articles](#) - [All 7 versions](#)

### WWW-based access to object-oriented clinical databases: the KHOSPAD project

F Pinciroli, L Portoni, C Combi, FF Violante - Computers in biology and medicine, 1998 - Elsevier  
... and protocols to access and **transmit** medical records ... a database server machine and  
the **communication** infrastructure. ... the **client application**, through which ...

[Cited by 16](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

### A graphical user interface toolkit approach to thin-client computing- [psu.edu](#) [PDF]

S Lok, SK Feiner, WM Chiong, YJ Hirsch - Proceedings of the 11th international conference on ..., 2002 - portal.acm.org  
... **Application** Logic ... that a new JButton be created, the RJFC toolkit would **transmit**  
that command ... **Event** To Srv To Client To Srv To Client To Srv To Client Connect ...

[Cited by 8](#) - [Related articles](#) - [All 16 versions](#)

### Implicit access for **communications** pathway

JA Roskind - US Patent App. 10/334,142, 2002 - Google Patents  
... and/or an interactive television **client application**) loaded on ... device may **directly**  
or indirectly **transmit** data to ... update such information in the **event** that the ...

[Related articles](#) - [All 6 versions](#)

### [PDF] [CAVERN: A distributed architecture for supporting scalable persistence and interoperability ...](#)

J Leigh, A Johnson, TA DeFanti - Virtual Reality: Research, Development and ..., 1997 - evl.uic.edu  
... are manifold: the bandwidth required to **transmit** video may ... being able to see the  
effector of the **event**. ... A **client application** is built by using an IRB interface ...

[Cited by 114](#) - [Related articles](#) - [View as HTML](#)

### APPLICATION LOGGING INTERFACE FOR A MOBILE DEVICE

K Fok, ECC Yip, 2008 - freepatentsonline.com  
... a message, and a **transmit** ("Tx") component ... efficiencies in field testing, **client**  
**application** logs mobile ... and post-data around key **events**, minimizing field ...

[All 3 versions](#)

### Heterogeneous distributed database systems for production use- [psu.edu](#) [PDF]

G Thomas, GR Thompson, CW Chung, E ... - ACM Computing Surveys (CSUR), 1990 - portal.acm.org  
... distributed views while being denied **direct** access to ... to deal with distributed data  
**without** having to ... hard- ware, operating systems, **communications** links and ...

[Cited by 151](#) - [Related articles](#) - [All 9 versions](#)

Did you mean to search for: event\$ and "client application" and (transmit or **communicate**) and (without or directly) and workstation

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

event\$ and "client application" and (  Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google